



Docket No.: M1071.1440/P1440

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: Hideyuki Harada, et al.

Application No.: 09/941,180

Filed: August 27, 2001

For: MULTILAYER CERAMIC SUBSTRATE AND MANUFACTURING METHOD

THEREFOR

Art Unit: 1734

Examiner: M. Mayes

RECEIVED OCT 20 2003 TC 1700

AMENDMENT IN RESPONSE TO NON-FINAL OFFICE ACTION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

INTRODUCTORY COMMENTS

In response to the Office Action dated June 13, 2003 (Paper No. 6), please amend the above-identified U.S. patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 7 of this paper.

Application No.: 09/941,180 Docket No.: M1071.1440/P1440

FEE CALCULATION

Any additional fee required has been calculated as follows:

____ If checked, Small Entity status is claimed

	No. Claims		Highest		Extra		Rate	Additional
	After		No.		Present			Fee
	Amendment		Previously					
			Paid For					
Total	18	MINUS	20**	=	0	X		\$
Indep.	1	MINUS	3**	=	0	X		\$
First presentation of multiple dependent claim(s) X								\$
TOTAL								\$ -0-

^{*} not less than 20

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed or if any additional fee during the prosecution of this application is not paid, the Patent Office is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 50-2215.

CONTINGENT EXTENSION REQUEST

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 50-2215.

^{**} not less than 3